

25X1

OUT56343

TOP SECRET 022034Z

1965 AUG 2 20 47Z

25X1

25X1

MAY 1965, MOSCOW (REUTOV) GUIDED MISSILE

PLANT 67

GOOD QUALITY ATTACHED GROUND PHOTOGRAPHY (DIA IR 290107964,
20 JULY 64, CONF COVERS THIS PLANT.

SUBSEQUENT ANALYSIS OF THIS PHOTOGRAPHY REVEALED THE FOLLOWING
DISCREPANCIES IN RELATION TO YOUR REPORT:

1. YOUR ANNOTATION 17 -- PROBABLE UTILITY BUILDING, WAS IDENTIFIED
AS A PROBABLE TEST CELL AND DIFFUSER.

2. YOUR ANNOTATION 20 -- PROBABLE BOILER HOUSE, WAS IDENTIFIED
AS A HIGH ALTITUDE TEST CHAMBER, THE STACKS OF WHICH HAVE BEEN
IDENTIFIED AS AIR HEATERS.

THE IDENTIFICATION OF THESE TWO FACILITIES AS A PROBABLE
ALTITUDE SIMULATOR COMPLEX LED TO THE IDENTIFICATION OF THIS PLANT
AS MISSILE PLANT NO. 67.

3. YOUR ANNOTATION 8 -- SUBSTATION IS NOT A SUBSTATION BUT
BUILDING UNDER CONSTRUCTION.

TOP SECRET

/END OF MESSAGE/

Declassification Review by NGA/DoD

3 AUG 1965

COPIES RECEIVED		
Cy No.	Officer	Act.
1	File	
2	OS	✓
	ADMIN	
	SEC BP	
	P&DS	
3	CSD	
	IPD	
	PD	
	PSD	
A	PSD-ICB	
	TID	
	PIH	
	na	
	DIAXX 4	
	SPAD	
	NSA LL	
	DIA-AP	

25X1

25X1

25X1

TOP SECRET